



MAY 21 1990

Technical and Transportation Services  
Manufacturing Operations

Ford Motor Company  
3001 Miller Road  
Dearborn, Michigan 48121

May 17, 1990

Asbestos Coordinator  
Air Enforcement  
U. S. E.P.A., Region V  
230 South Dearborn Street  
Chicago, Illinois 60604

Subject: Notification of Intent to Remove Asbestos During Renovation

Attached please find necessary information regarding our intent to remove asbestos during renovation of Power House #1 at the Ford Motor Company Rouge Complex.

If you have any questions or require further information, please contact me at (313)594-1014.

W. B. Dotterrer

Copy to: Asbestos Coordinator  
Air Quality Division  
Michigan DNR  
P.O. Box 30028  
Lansing, MI 48090

Wayne County Health Department  
Air Pollution Control Division  
2211 East Jefferson  
Detroit, MI 48207

# MICHIGAN DEPARTMENT OF NATURAL RESOURCES

NOTIFICATION OF INTENT TO REMOVE ASBESTOS  
PURSUANT TO 40 CFR, PART 61, SUBPART M

MAIL TO: ASBESTOS COORDINATOR  
AIR QUALITY DIVISION, DNR  
P.O. BOX 30028  
LANSING, MICHIGAN 48909

## DNR USE ONLY

XEROX/TELEFAX TO
RECEIVED DATE
POSTMARK DATE
CONT'R INSPECT THIS FY
FACILITY INSPECT THIS FY
NOTIFICATION REVIEWED
DEF LETTER SENT ON
ENTERED DEF LETTER LOG
ENTERED ON RECEIVING LOG

COPY TO: U.S. EPA, REGION V, CHICAGO, ILLINOIS

1) CONTRACTOR <u>Ford Motor Company</u> ADDRESS <u>3001 Miller Rd., 106 CSB</u> <u>Dearborn, MI 48121</u> CONTACT <u>Rob Withun</u> PHONE <u>(313) 594-47779</u>		<input checked="" type="checkbox"/> RENOVATION <input type="checkbox"/> DEMOLITION (10 DAY NOTICE) <input type="checkbox"/> DEMOLITION (20 DAY NOTICE) DATE OF NOTICE _____	
2) NAME OF OWNER <u>FORD Motor Company</u> MAILING ADDRESS <u>3001 Miller Rd.</u> <u>Dearborn, MI 48121</u> PHONE <u>323-0883</u>		3) FACILITY NAME <u>Power House #1</u> LOCATION (OR <u>Rouge Complex</u> DESCRIPTION OF LOCATION) _____	
4) FACILITY SIZE <u>565,488 ft.</u> FACILITY AGE <u>1923</u> FACILITY USE <u>Power Generation</u>		5) START DATE: <u>May 29, 1990</u> COMPLETION DATE <u>June 18, 1990</u>	
6) ESTIMATE OF TOTAL AMMOUNT OF FRIABLE ASBESTOS TO BE REMOVED ON PIPE _____ LN-FT SURFACE AREA <u>800</u> SQ-FT		7) IF DEMOLITION INVOLVING LESS THAN 260 LINEAR FEET OR 160 SQUARE FEET, EXPLAIN TECHNIQUES OF ESTIMATION _____	
8) NATURE (WHERE ASBESTOS WILL BE REMOVED FROM) <u>Thermal Insulation (Boiler Block) from #2</u> METHOD(S) OF REMOVAL <u>Boiler. Removal will be by wet methods and negative pressure enclosure.</u>			
9) EMISSION CONTROL PROCEDURES DURING REMOVAL: <u>Wet Methods, HEPA Vacuum</u> <u>Negative Pressure Enclosure</u> <u>Clean Air Sampling (OSHA 29 CFR)</u>		10) EMISSION CONTROL PROCEDURES DURING HANDLING <u>HEPA Vacuum, Negative Pressure Enclosure</u> <u>Clean Air Monitoring</u> <u>Approved Asbestos Disposal Bags</u> <u>Wet Methods</u>	
11) DISPOSAL SITE <u>Wayne Disposal Inc.</u> LOCATION ADDRESS <u>49350 North Service Dr.</u> (OR DESCRIPTION <u>Belleville, MI 48128</u> OF LOCATION) _____		11) IF ORDERED DEMOLITION, NAME AND AUTHORITY OF STATE OR LOCAL GOVERNMENT REPRESENTATIVE WHO ORDERED IT NAME _____ PHONE ( ) _____	



Technical and Transportation Services  
Manufacturing Operations

Ford Motor Company  
3001 Miller Road  
Dearborn, Michigan 48121

April 9, 1990

To: Asbestos Coordinator  
Air Enforcement  
U.S. E.P.A., Region V  
230 South Dearborn Street  
Chicago, Illinois 60604

Subject: Amendment to Notification of Intent to Remove Asbestos dated  
December 6, 1989

Attached please find the amended Notification of Intent to remove  
asbestos during renovation at the Rouge Office Building at the Ford  
Motor Company Rouge Complex. Room 3341 has been added to the original  
notification document.


If you have any questions or require further information, please  
contact me at (313)594-1014.

*W.B. Dotterrer*  
W. B. Dotterrer

Copy to: Asbestos Coordinator  
Air Quality Division  
Michigan DNR  
P.O. Box 30028

Wayne County Health Department  
Air Pollution Control Division  
2211 East Jefferson  
Detroit, MI 48207

0817-JM



MICHIGAN DEPARTMENT OF NATURAL RESOURCES

NOTIFICATION OF INTENT TO REMOVE ASBESTOS  
PURSUANT TO 40 CFR, PART 61, SUBPART M

MAIL TO: ASBESTOS COORDINATOR  
AIR QUALITY DIVISION, DNR  
P.O. BOX 30028  
LANSING, MICHIGAN 48909

DNR USE ONLY

XEROX/TELEFAX TO
RECEIVED DATE
POSTMARK DATE
CONT'R INSPECT THIS FY
FACILITY INSPECT THIS FY
NOTIFICATION REVIEWED
DEF LETTER SENT ON
ENTERED DEF LETTER LOG
ENTERED ON RECEIVING LOG

COPY TO: U.S. EPA, REGION V, CHICAGO, ILLINOIS

1) CONTRACTOR	Ford Motor Company
ADDRESS	3001 Miller Rd., 106 CSB Dearborn, MI 48121
CONTACT	William Bryant
PHONE	813) 323-5821

☒ RENOVATION

☐ DEMOLITION (10 DAY NOTICE)

☐ DEMOLITION (20 DAY NOTICE)

DATE OF NOTICE

2) NAME OF OWNER	FORD Ford Motor Co.
MAILING ADDRESS	3001 Miller Rd. Dearborn, MI 48121
PHONE	323-0883

3) FACILITY NAME	Rouge Office Building
LOCATION (OR DESCRIPTION OF LOCATION)	Rouge Complex

4) FACILITY SIZE	366,812 ft.
FACILITY AGE	1955
FACILITY USE	Office Building

5) START DATE:	December 7, 1989
COMPLETION DATE	May 15, 1990

6) ESTIMATE OF TOTAL AMMOUNT OF FRIABLE ASBESTOS TO BE REMOVED		
ON PIPE	1,000	LN-FT
SURFACE AREA		SQ-FT

7) IF DEMOLITION INVOLVING LESS THAN 260 LINEAR FEET OR 160 SQUARE FEET, EXPLAIN TECHNIQUES OF ESTIMATION
---

8) NATURE (WHERE ASBESTOS WILL BE REMOVED FROM)	Thermal insulation in rooms 1340, 1440, 2430
METHOD(S) OF REMOVAL	3035, 3341 & the Receiving Area. Removal will be by Wet Methods, Modified Glove Bag & Negative Pressure Enclosure.

9) EMISSION CONTROL PROCEDURES DURING REMOVAL:
Wet Methods, HEPA Vacuum, Clean Air
Sampling in accordance with OSHA std. 29 CFR. Negative Pressure Enclosure.

10) EMISSION CONTROL PROCEDURES DURING HANDLING
HEPA Vacuum, Negative Pressure Enclosure, Clean Air Monitoring, Glove Bag, Approved Asbestos Disposal Bags.

11) DISPOSAL SITE	Wayne Disposal Inc.
LOCATION ADDRESS	49350 North Service Dr.
(OR DESCRIPTION OF LOCATION)	Belleville, MI 48128

11) IF ORDERED DEMOLITION, NAME AND AUTHORITY OF STATE OR LOCAL GOVERNMENT REPRESENTATIVE WHO ORDERED IT	
NAME	
PHONE	( )

1/17/90



RECEIVED

SEP 10 1990

AIR COMPLIANCE BRANCH  
U.S. EPA, REGION V

Technical and Transportation Services  
Manufacturing Operations

Ford Motor Company  
3001 Miller Road  
Dearborn, Michigan 48121

September 7, 1990

Asbestos Coordinator  
Air Enforcement  
U. S. E.P.A., Region V  
230 South Dearborn Street  
Chicago, Illinois 60604

Subject: Notification of Intent to Remove Asbestos During Renovation

Attached please find necessary information regarding our intent to remove asbestos from the exterior of a caustic tank at the Ford Motor Company Rouge Complex.

If you have any questions or require further information, please contact me at (313)594-1014.

W. B. Dotterrer

Copy to: Asbestos Coordinator  
Air Quality Division  
Michigan DNR  
P.O. Box 300028  
Lansing, MI 48090

Wayne County Health Department  
Air Pollution Control Division  
2211 East Jefferson  
Detroit, MI 48207

AsbesCoor

# MICHIGAN DEPARTMENT OF NATURAL RESOURCES

NOTIFICATION OF INTENT TO REMOVE ASBESTOS  
PURSUANT TO 40 CFR, PART 61, SUBPART M

MAIL TO: ASBESTOS COORDINATOR  
AIR QUALITY DIVISION, DNR  
P.O. BOX 30028  
LANSING, MICHIGAN 48909

## DNR USE ONLY

XEROX/TELEFAX TO
RECEIVED DATE
POSTMARK DATE
CONT'R INSPECT THIS FY
FACILITY INSPECT THIS FY
NOTIFICATION REVIEWED
DEF LETTER SENT ON
ENTERED DEF LETTER LOG
ENTERED ON RECEIVING LOG

COPY TO: U.S. EPA REGION V, CHICAGO, ILLINOIS

1) CONTRACTOR	Ford Motor Company
ADDRESS	3001 Miller Rd. Dearborn, MI 48121
CONTACT	William Bryant
PHONE	(313) 322-5821

☒ RENOVATION

☐ DEMOLITION (10 DAY NOTICE)

☐ DEMOLITION (20 DAY NOTICE)

DATE OF NOTICE \_\_\_\_\_

2) NAME OF OWNER	FORD Motor Company
MAILING ADDRESS	3001 Miller Rd. Dearborn, MI 48121
PHONE	323-0882 (Thomas Kakos)

3) FACILITY NAME	Caustic tank
LOCATION (OR DESCRIPTION OF LOCATION)	Rouge Complex: Outside west wall of Rolling Mill

4) FACILITY SIZE	13' x 18' storage tank
FACILITY AGE	approx. 50 years old
FACILITY USE	storage of caustic chemicals

5) START DATE:	September 17, 1990
COMPLETION DATE	September 20, 1990

6) ESTIMATE OF TOTAL AMMOUNT OF FRIABLE ASBESTOS TO BE REMOVED
ON PIPE _____ LN-FT
SURFACE AREA _____ 1150 SQ-FT

7) IF DEMOLITION INVOLVING LESS THAN 260 LINEAR FEET OR 160 SQUARE FEET, EXPLAIN TECHNIQUES OF ESTIMATION
---

8) NATURE (WHERE ASBESTOS WILL BE REMOVED FROM)	From exterior of a 13'x18' caustic tank
METHOD(S) OF REMOVAL	Wet methods in conjunction with a negative pressure enclosure.

9) EMISSION CONTROL PROCEDURES DURING REMOVAL:
Wet methods in conjunction with a negative pressure enclosure. Air monitoring will be conducted in accordance with OSHA standards.

10) EMISSION CONTROL PROCEDURES DURING HANDLING
Removed asbestos will be poaced in approved disposal bags and poaced in a roll-off box for disposal transportation.

11) DISPOSAL SITE	Wayne Disposal, Inc.
LOCATION ADDRESS	49350 North Service Dr. (OR DESCRIPTION Belleville, MI 48128 OF LOCATION)

11) IF ORDERED DEMOLITION, NAME AND AUTHORITY OF STATE OR LOCAL GOVERNMENT REPRESENTATIVE WHO ORDERED IT
NAME _____
PHONE ( ) _____

*2/24/90*



Technical and Transportation Services  
Manufacturing Operations

Ford Motor Company  
3001 Miller Road  
Dearborn, Michigan 48121  
August 24, 1990

Asbestos Coordinator  
Air Quality Division  
Michigan DNR  
P.O. Box 30028  
Lansing, MI 48090

Subject: Notification of Intent to Remove Asbestos During Renovation

Attached please find necessary information regarding our intent to remove asbestos during renovation of the Pulverizer Building located in Rouge Complex in Dearborn, Michigan.

If you have any questions or require further information, please contact me on (313)594-1014.

W. B. Dotterrer

Copy to: Asbestos Coordinator  
Air Enforcement  
U.S. E.P.A., Region V  
230 South Dearborn Street  
Chicago, Illinois 60604

Wayne County Health Department  
Air Pollution Control Division  
2211 East Jefferson  
Detroit, MI 48207

RECEIVED  
AUG 31 1990

AIR COMPLIANCE BRANCH  
U.S. EPA, REGION V



# MICHIGAN DEPARTMENT OF NATURAL RESOURCES

NOTIFICATION OF INTENT TO REMOVE ASBESTOS  
PURSUANT TO 40 CFR, PART 61, SUBPART M

MAIL TO: ASBESTOS COORDINATOR  
AIR QUALITY DIVISION, DNR  
P.O. BOX 30028  
LANSING, MICHIGAN 48909

## DNR USE ONLY

XEROX/TELEFAX TO
RECEIVED DATE
POSTMARK DATE
CONT'R INSPECT THIS FY
FACILITY INSPECT THIS FY
NOTIFICATION REVIEWED
DEF LETTER SENT ON
ENTERED DEF LETTER LOG
ENTERED ON RECEIVING LOG

COPY TO: U.S. EPA, REGION V, CHICAGO, ILLINOIS

1) CONTRACTOR	Ford Motor Company
ADDRESS	3001 Miller Rd. Dearborn, MI 48121
CONTACT	Richard Chappell
PHONE	(313) 594-7779

☒ RENOVATION

☐ DEMOLITION (10 DAY NOTICE)

☐ DEMOLITION (20 DAY NOTICE)

DATE OF NOTICE \_\_\_\_\_

2) NAME OF OWNER	FORD Motor Company
MAILING ADDRESS	3001 Miller Rd. Dearborn, MI 48121
PHONE	(313) 322-4111

3) FACILITY NAME	Pulverizer Building
LOCATION (OR DESCRIPTION OF LOCATION)	Rouge Complex (West of the Power House)

4) FACILITY SIZE	approx. 648,432 sq. ft.
FACILITY AGE	approx. 64 years old
FACILITY USE	Pulverizing Coal

5) START DATE:	September 3, 1990
COMPLETION DATE	September 17, 1990

6) ESTIMATE OF TOTAL AMMOUNT OF FRIABLE ASBESTOS TO BE REMOVED
ON PIPE _____ LN-FT
SURFACE AREA Approx. 200 SQ-FT

7) IF DEMOLITION INVOLVING LESS THAN 260 LINEAR FEET OR 160 SQUARE FEET, EXPLAIN TECHNIQUES OF ESTIMATION
---

8) NATURE (WHERE ASBESTOS WILL BE REMOVED FROM) METHOD(S) OF REMOVAL	Insulation on 3 east cylcone exterior Wet methods and HEPA vacuum along with a negative pressure enclosures.
--	---

9) EMISSION CONTROL PROCEDURES DURING REMOVAL:
Wet methods and HEPA vacuum will be used and negative pressure enclosure will be constructed air monitoring in accordance with OSHA

10) EMISSION CONTROL PROCEDURES DURING HANDLING
Removed asbestos will be placed in approved disposal bags and placed in roll-off box for disposal transportation.

11) DISPOSAL SITE	Wayne Disposal, Inc.
LOCATION ADDRESS (OR DESCRIPTION OF LOCATION)	49350 N. Service Dr. Belleville, MI 48128

11) IF ORDERED DEMOLITION, NAME AND AUTHORITY OF STATE OR LOCAL GOVERNMENT REPRESENTATIVE WHO ORDERED IT
NAME _____
PHONE ( ) _____

RECEIVED

AUG 31 1990

AIR COMPLIANCE BRANCH  
U.S. EPA, REGION V

*dup*





Technical and Transportation Services  
Manufacturing Operations

Ford Motor Company  
3001 Miller Road  
Dearborn, Michigan 48121

October 10, 1990

Asbestos Coordinator  
Air Enforcement  
U. S. E.P.A., Region V  
230 South Dearborn Street  
Chicago, Illinois 60604

Subject: Notification of Intent to Remove Asbestos During Renovation

Attached please find necessary information regarding our intent to remove asbestos during renovation of Power House #1 at the Ford Motor Company Rouge Complex.

If you have any questions or require further information, please contact me at (313) 594-1014.

  
W. B. Dotterrer

copy to: Asbestos Coordinator  
Air Quality Division  
Michigan DNR  
P.O. Box 3002  
Lansing, MI 48090

Wayne County Health Department  
Air Pollution Control Division  
2211 East Jefferson  
Detroit, MI 48207

RECEIVED  
OCT 16 1990  
AIR COMPLIANCE BRANCH  
U.S. EPA, REGION V

MICHIGAN DEPARTMENT OF NATURAL RESOURCES

NOTIFICATION OF INTENT TO REMOVE ASBESTOS  
PURSUANT TO 40 CFR, PART 61, SUBPART M

MAIL TO: ASBESTOS COORDINATOR  
AIR QUALITY DIVISION, DNR  
P.O. BOX 30028  
LANSING, MICHIGAN 48909

DNR USE ONLY

XEROX/TELEFAX TO
RECEIVED DATE
POSTMARK DATE
CONT'R INSPECT THIS FY
FACILITY INSPECT THIS FY
NOTIFICATION REVIEWED
DEF LETTER SENT ON
ENTERED DEF LETTER LOG
ENTERED ON RECEIVING LOG

COPY TO: U.S. EPA, REGION V, CHICAGO, ILLINOIS

☒ RENOVATION

☐ DEMOLITION (10 DAY NOTICE)

☐ DEMOLITION (20 DAY NOTICE)

DATE OF NOTICE

1) CONTRACTOR	Ford Motor Company
ADDRESS	3001 Miller Rd., 106 CSB Dearborn, MI 48121
CONTACT	W. Bryant
PHONE	313 322-5821

2) NAME OF OWNER	FORD Motor Company
MAILING ADDRESS	3001 Miller Rd. Dearborn, MI 48121
PHONE	323-0882 (Thomas Kakos)

3) FACILITY NAME	Power House #1
LOCATION (OR DESCRIPTION OF LOCATION)	Rouge Complex

4) FACILITY SIZE	565,488 sq. ft.
FACILITY AGE	1923
FACILITY USE	Power Generation

5) START DATE:	October 22, 1990
COMPLETION DATE	October 23, 1990

6) ESTIMATE OF TOTAL AMMOUNT OF FRIABLE ASBESTOS TO BE REMOVED		
ON PIPE	50	LN-FT
SURFACE AREA		SQ-FT

7) IF DEMOLITION INVOLVING LESS THAN 260 LINEAR FEET OR 160 SQUARE FEET, EXPLAIN TECHNIQUES OF ESTIMATION
---

8) NATURE (WHERE ASBESTOS WILL BE REMOVED FROM)	Pipe covering on 1 1/4 and 3" steam pipe
METHOD(S) OF REMOVAL	Glove bag(modified negative air bag)

9) EMISSION CONTROL PROCEDURES DURING REMOVAL:
Glove bag with negative presure supplied by HEPA vacuum. Air monitoring will be done in accordance with OSHA standards.

10) EMISSION CONTROL PROCEDURES DURING HANDLING
Removed asbestos will be placed in approved disposal bags and placed in a roll-off box for transportation to disposal site.

11) DISPOSAL SITE	Wayne Disposal, Inc.
LOCATION ADDRESS	49350 North Service Dr.
(OR DESCRIPTION OF LOCATION)	Belleville, MI 48128

11) IF ORDERED DEMOLITION, NAME AND AUTHORITY OF STATE OR LOCAL GOVERNMENT REPRESENTATIVE WHO ORDERED IT	
NAME	
PHONE	( )

RECEIVED

OCT 16 1990

AIR COMPLIANCE BRANCH  
U.S. EPA, REGION V